

# Tween Bridge Solar Farm

## Environmental Statement Appendix 7.12: Biodiversity Net Gain

Planning Act 2008  
Infrastructure Planning (Applications: Prescribed Forms  
and Procedure) Regulations 2009

APFP Regulation 5(2)(a)

Document Reference: 6.3.7.12

August 2025

Revision 1

# Biodiversity Net Gain Report



**Tween Bridge Solar Farm**

**August 2025**



**Tyler  
Grange**

TG Report No. 16413\_R11b\_RR

## Contents:

Summary	
Section 1: Introduction, Legislation and Conservation Status	1
Section 2: Methodology	2
Section 3: Results	6

## Appendices:

Appendix 1: Landscape Proposals

## Figures:

Figure 1 : 16413\_P13\_Habitat Features\_JS\_RR



# Section 1: Introduction, Legislation and Conservation Status

## Introduction

- 1.1. Tyler Grange was commissioned to undertake ecological surveys in relation to ‘The Scheme’ of a renewable energy generating project; comprising ground-mounted solar photovoltaic (‘PV’) arrays, together with on-site energy storage and associated infrastructure. The Scheme is located on land to the east of the town of Thorne and to the west of the town of Crowle (the ‘Order Limits’).
- 1.2. This report details results from habitat and field surveys and a Biodiversity Net Gain (BNG) assessment. undertaken by Tyler Grange in August 2024 and June/July 2025 . The objectives of this report are to provide the results of the BNG assessment.
- 1.3. This report presents the detailed field survey methodology and should be read with reference to the **ES Chapter 7 Ecology and Nature Conservation [Document Reference: 6.2.6]**. This report should also be read alongside **Appendix 7.1 Baseline Habitats Report [Document Reference 6.3.7.1]** included within the **ES Chapter 7 Ecology and Nature Conservation [Document Reference: 6.2.6]**.
- 1.4. Landscape plans are provided in Appendix 1, illustrating the proposed post-development habitats and their locations within the site.

## Legislation and Conservation Status

- 1.5. It is not yet a mandatory requirement for NSIP applications to demonstrate a quantifiable biodiversity net gain (BNG) of at least 10% under the Environment Act 2021. However, the Applicant intends to provide evidence of the deliverability of measurable biodiversity gains. in accordance with NERC obligations and the Overarching National Policy Statement for Energy (EN-1) and National Policy Statement for Renewable Energy Infrastructure (EN-3).
- 1.6. The DEFRA Statutory Biodiversity Metric Calculator has been utilised to provide evidence of achievable on-Site biodiversity gains, which is an established method to quantify biodiversity gains.



## Section 2: Methodology

### Survey Methodology 2022

- 2.1. Habitat surveys were undertaken by Avian Ecology Ltd. in 2022, and the full methodology and results are presented within **Appendix 7.1 Baseline Habitats Report [Document Reference 6.3.7.1]** included within the **ES Chapter 7 Ecology and Nature Conservation [Document Reference: 6.2.6]**, to be read alongside this report.

### Survey Methodology 2024 and 2025

- 2.2. Following updates to the Order Limits a habitat survey was undertaken on areas not previously covered by Avian Ecology in August 2024 and June/July 2025 by Tyler Grange, with further detail in **Appendix 7.1 Baseline Habitats Report [Document Reference 6.3.7.1]** included within the **ES Chapter 7 Ecology and Nature Conservation [Document Reference: 6.2.6]**.

### 'Extended' Phase I Habitat Survey and UKHabs

- 2.3. The methods used during the habitat surveys broadly followed methods used in an 'extended' Phase I habitat survey<sup>1</sup> and entailed recording the main plant species and classifying and mapping habitat types with reference to the Habitat Definitions provided by the UK Habitat Classification Working Group<sup>2</sup>.
- 2.4. Additionally, the habitats identified were evaluated for their potential to support legally protected and notable fauna species. Where access allowed, adjacent habitats were also considered in order to assess the Order Limits within the wider landscape and to provide information with which to assess possible impacts within the context of the Order Limits boundary.
- 2.5. All habitats were assessed utilising the relevant condition criteria for the relevant habitat type which included confirming 'pass' / 'fail' criteria in accordance with the Biodiversity Metric User Guide<sup>3</sup>.

---

<sup>1</sup> Joint Nature Conservation Committee (2010). Handbook for Phase 1 habitat survey - a technique for environmental audit. JNCC, Peterborough.

<sup>2</sup> UKHab Ltd. (2023). UK Habitat Classification Version 2.0 (at <https://www.ukhab.org>)

<sup>3</sup> DEFRA (2025) Statutory biodiversity metric: user guide



## Biodiversity Net Gain

- 2.6. The Statutory Biodiversity Metric operates by calculating the number of biodiversity units associated with a particular habitat type (both pre-and post-development) – the ‘unit’ value associated with each habitat type is calculated based on the following parameters:
- Size (in hectares)/Length (in km);
  - Distinctiveness (i.e. how rare/valuable a given habitat is);
  - Condition (i.e. how well the recorded habitat fits [or will fit] the standardised description of that habitat); and
  - Strategic significance (i.e. if the existing or proposed habitat is within an area formally adopted in the local plan for green infrastructure or biodiversity improvements).
- 2.7. When considering the creation of new habitats in the post-development, other factors are also considered when calculating the ‘unit’ value of a given habitat and these are:
- Time to reach the target condition of each habitat; and
  - Difficulty category for the creation of a given habitat.
- 2.8. The UK Habitat Classification was used to identify habitat types. Note that the calculation is completed separately for non-linear and linear habitats. Habitat areas entered into The Statutory Biodiversity Metric in hectares were rounded to two decimal places.

## Limitations and Assumptions

- 2.9. Although all habitats within the Order Limits have been surveyed, due to the timing of the original surveys prior to the implementation of BNG, not all habitats within the Order Limits were surveyed with detailed condition assessments for BNG, although notes on the habitat conditions was still made. To provide a robust and precautionary approach in line with best practice, where sufficient data was not available, higher condition scores for baseline habitats have been assumed. This ensures that the assessment does not underestimate baseline biodiversity value and avoids overestimating potential net gain.
- 2.10. The majority of hedgerows within the Order Limits contain some gaps and are subject to impacts from ongoing farming activities, which would result in them achieving poor or moderate condition within BNG. However as full condition assessments were not available for all hedgerows, as a precautionary approach, all hedgerows have been included as being of good condition. This precautionary approach ensures that the baseline reflects the likely ecological function of the hedgerows while avoiding underestimation of their contribution to the Order Limits biodiversity value.



2.11. The Order Limits contains a large ditch network, comprising both large drainage ditches and smaller field ditches. The condition criteria<sup>4</sup> for ditches states:

- The ditch is of good water quality, with clear water (low turbidity) indicating no obvious signs of pollution.
- A range of emergent, submerged and floating-leaved plants are present. As a guide >10 species of emergent, floating or submerged plants present in a 20 m ditch length.
- There is less than 10% cover of filamentous algae and or duckweed *Lemna* spp. (these are signs of eutrophication).
- A fringe of aquatic marginal vegetation is present along more than 75% of the ditch.
- Physical damage is evident along less than 5% of the ditch, with examples of damage including: excessive poaching, damage from machinery use or storage, or any other damaging management activities.
- Sufficient water levels are maintained - as a guide a minimum summer depth of approximately 50 cm in minor ditches and 1 m in main drains.
- Less than 10% of the ditch is heavily shaded.
- There is an absence of non-native plant and animal species

2.12. Based on available survey data, the majority of ditches would fail one or more of the condition criteria, which would result in them being of moderate condition, with many also failing at least 3 of the condition criteria, resulting in them achieving poor condition. The main reasons being due to poor water quality from agricultural run-off, low water levels, lack of emergent vegetation, lack of marginal vegetation and / or the presence of invasive species. However, to ensure the Order Limits is not undervalued within the BNG baseline, and adopting a precautionary approach, 25% of ditches have been recorded as being in good condition, 50% in moderate condition, and 25% in poor condition. This approach ensures that the potential ecological value of the ditches in Order Limits is captured within the baseline. Further to this, all ditches are being retained and enhanced as part of the Scheme.

2.13. All ditches have been accounted for in the BNG calculations, but no River Morphology survey of the Stainforth and Keadby Canal has been completed. This is due to only a small section of the canal located within the Order Limits boundary, the fact the canal is being fully retained and buffered, with habitat creation and enhancement to take place in proximity. Therefore, there will be no change or impact to the canal itself. Furthermore, as BNG is not required for

---

<sup>4</sup> DEFRA (2025) Statutory biodiversity metric condition assessments



NSIPs, this detail is not needed as part of the assessment, which has focused within the boundaries of the Order Limits where potential impacts and changes to habitats are to take place.



## Section 3: Results

- 3.1. The full extent of baseline habitats recorded across the site during all surveys is shown on Figure 1.

### Survey Results 2022

- 3.2. Full habitat survey results from Avian Ecology Ltd are included in **ES Chapter 7 Ecology and Nature Conservation [Document Reference: 6.2.6].Appendix 7.1**. Surveys undertaken in 2022 recorded and mapped all habitat types within the Order Limits at that time.

### Survey Results 2024 and 2025


- 3.3. The 2024 and 2025 surveys covered areas of the not previously included in the Order Limits boundary. These surveys also included high-level walkovers of the Order Limits to confirm that habitats had not significantly changed since the 2022 assessment. The 2022 surveys did not include a BNG assessment at the time, but the habitat survey results, including habitat descriptions and photographs, have been used alongside the 2024 and 2025 surveys to inform the current baseline habitat assessment.
- 3.4. The 2024 and 2025 surveys confirmed that there had been no significant change in the habitats recorded in 2022, and the results from the 2022 surveys are therefore still considered valid for the current assessment.

### Habitats and Flora

- 3.5. The habitats present in the Order Limits are summarised below in **Table 2.2**, the location of habitats are shown on the Figure 1 - Habitats Features Condition assessment sheets are included on Appendix 2.



**Table 2.2: Habitats and Flora**

Habitat	Description and BNG Condition	Photograph
<b>Arable Crops</b>	Arable land is the dominant habitat within the Order Limits, with the majority of fields under cereal crops and smaller areas supporting non-cereal crops. Condition assessments are not required within BNG for cropland habitats.	





**Modified Grassland**

A small proportion of the Order Limits comprises modified grassland, primarily as pasture used for livestock and silage production, dominated by perennial ryegrass with other grass and herb species present. Field margins of modified grassland are present along arable edges, varying in width and species composition. This habitat has been assessed as Poor condition.



<p><b>Tall Ruderal</b></p>	<p>Present along field boundaries and comprising species such as nettle and common thistle, with occasional grass and herb species including false-oat grass, bramble, hogweed and reed canary grass. This habitat has been assessed as Moderate condition.</p>	
<p><b>Scrub</b></p>	<p>Scrub habitats include mixed scrub with willow, bramble, blackthorn, hawthorn, elder, and dogrose, and bramble-dominated scrub with tall herbs. This habitat has been assessed as Moderate condition.</p>	



<p><b>Hedgerows</b></p>	<p>Hedgerows throughout the Order Limits vary between unmanaged and intensively managed, intact and defunct, and are typically species-poor and hawthorn-dominated, with occasional blackthorn, elder, ash, and other native species. Most hedgerows contain immature to mature trees. Assessed as good condition.</p>	
<p><b>Lines of Trees</b></p>	<p>Lines of trees are present throughout the Order Limits, comprising mature, semi-mature, and immature trees of various native and occasional non-native species, including oak, lime, hazel, ash, willow, and birch. Assessed as moderate condition.</p>	



<p><b>Lakes and Ponds</b></p>	<p>Ponds within the Order Limits vary from shallow pools to deep waterbodies, with some supporting common reed and marginal willow scrub while others lack marginal vegetation. Some ponds support waterfowl and fish. This habitat has been assessed as Moderate condition.</p>	
<p><b>Ditches and Watercourses</b></p>	<p>The Order Limits contains a network of wet and dry ditches with seasonal water level fluctuations, supporting aquatic and marginal vegetation including bramble scrub, reed canary grass, and common reed. Banks vary from shallow to steep, often with modified grassland margins. Larger watercourses include the River Torne and the Stainforth and Keadby Canal within or adjacent to the Order Limits. Assessed as good, moderate and poor condition as described above.</p>	



**Woodland**

Woodland habitats within the Order Limits include wet woodland and deciduous woodland copses dominated by birch, oak, ash, poplar, and additional native tree species. Ground flora typically includes bramble and bracken. This habitat has been assessed as Moderate condition.



## Strategic Significance

- 3.6. The Order Limits spans Council areas of Doncaster and North Lincolnshire. While neither has yet adopted its own Local Nature Recovery Strategy (LNRS), Doncaster falls within the developing South Yorkshire LNRS — currently led by the South Yorkshire Mayoral Combined Authority, with Doncaster Council as a supporting authority. North Lincolnshire lies within the Greater Lincolnshire LNRS area, which is also in preparation.
- 3.7. Importantly, the Order Limits is situated within or functionally linked to designated sites (SACs and SPAs). To ensure that the ecological significance of on-site habitats is properly recognised, the baseline assessment has recorded the Order Limits as “Location ecologically desirable but not yet referenced in a local strategy.”<sup>5</sup>. This classification recognises the potential for species movement and habitat support linking to adjacent designated sites, and ensures that the baseline reflects the contribution to broader ecological networks.

## Proposed Habitats

- 3.8. The proposals, as shown within Appendix 2, have been used to calculate the proposed habitat areas. The rationale for target condition assessments is detailed within the metric 16413\_M01a.
- 3.9. A species-rich grassland sward will be established beneath the solar panels and managed through grazing or appropriate mowing regimes. This grassland will be created prior to construction in those areas.
- 3.10. Although UKHab guidance indicates that recording vegetation beneath solar panels as U1B6 (Solar Panels with Vegetation), this was not applied as it would convert the habitat type to Developed Land Sealed Surface (u1b) – Developed Land (u1B6)<sup>6</sup> within the Biodiversity Metric. This does not accurately reflect the proposed vegetated habitat under the panels, which is to comprise neutral grassland. On a precautionary basis this has been classified as achieving poor condition within the metric, although in reality some areas are likely to achieve a higher condition.
- 3.11. Buffers adjacent to the solar panels will consist of diverse neutral grassland, managed to maintain a varied sward height and species composition. This management regime will encourage structural heterogeneity within the sward, supporting a wide range of flora and fauna. The varied sward structure will provide important habitat niches and promote

---

<sup>5</sup> DEFRA (2025) Statutory biodiversity metric: user guide

<sup>6</sup> UKHab Ltd. (2023). UK Habitat Classification Version 2.0 (at <https://www.ukhab.org>)



biodiversity within these buffer areas. Again this will be created prior to construction commencing in these areas.

- 3.12. Large areas of neutral grassland managed to at least moderate condition are to be created within the Order Limits and will form part of the bird mitigation strategy. These areas will be created prior to the majority of the Order Limit being constructed.
- 3.13. The proposals include the planting of new woodland areas comprising a range of native tree species. This woodland habitat is expected to establish well and achieve at least poor condition initially, with potential for improvement through ongoing management. The native species mix will provide valuable habitat for a variety of wildlife and contribute positively to the Order Limits ecological network.
- 3.14. Areas of hardstanding are also incorporated within the proposals. These are non-vegetated surfaces that do not require condition assessment under current BNG guidelines but contribute to the overall land use and Order Limits infrastructure.
- 3.15. Details of habitat establishment and long-term management is provided through the **Outline Landscape Ecological Management Plan (LEMP) [Document Reference 7.6]** which has been prepared in line with this BNG assessment. The LEMP sets out the prescriptions for the establishment and maintenance of the habitats for 40 years. These management measures take into account biodiversity enhancement alongside specific species enhancements.

### Trading rules

- 3.16. The trading rules for BNG have not been met in relation to loss of scrub as a broad habitat type, as scrub habitats are being lost without like-for-like replacement. However, woodland of the same distinctiveness as the required scrub habitat is being provided, which, while not the same broad habitat type, contributes positively to overall habitat quality. In addition, the scheme is delivering over a 10% net gain in biodiversity units.

### BNG Conclusion

- 3.17. As described within The Statutory Biodiversity Metric **16413\_M01a** and summarised below in **Figure 4.1**, based on the habitats present that will be lost and those to be created, the development would result in a gain of 3727.44 habitat units, a gain of 345.56 hedgerow units, and a gain of 100.43 watercourse units. This is a percentage gain of 79.82% in habitat units, 178.57% in hedgerow units and 10.84% in watercourse units.



FINAL RESULTS		
<b>Total net unit change</b> (Including all on-site & off-site habitat retention, creation & enhancement)	<i>Habitat units</i>	3727.44
	<i>Hedgerow units</i>	345.56
	<i>Watercourse units</i>	100.43
<b>Total net % change</b> (Including all on-site & off-site habitat retention, creation & enhancement)	<i>Habitat units</i>	79.82%
	<i>Hedgerow units</i>	178.57%
	<i>Watercourse units</i>	10.84%
<b>Trading rules satisfied?</b>	<b>No - Check Trading Summaries ▲</b>	


Figure 4.1: Biodiversity Net Gain Assessment Results Summary, taken from The Statutory Biodiversity Metric.

- 3.18. The BNG assessment for the Order Limits demonstrates that the proposed Scheme will deliver a measurable net gain in biodiversity across habitats, hedgerows, and watercourses.
- 3.19. The DEFRA Statutory Biodiversity Metric has demonstrated that the Scheme will achieve a net gain in biodiversity units exceeding 10% across the Order Limits, even when applying a precautionary baseline approach. This demonstrates the deliverability of measurable biodiversity improvements in line with the Applicant’s commitments under the NERC Act and relevant national policy, despite the Scheme not being subject to mandatory BNG requirements.
- 3.20. These outcomes will be secured and maintained over the long term through implementation of the **Outline Landscape Ecological Management Plan (LEMP) [Document Reference 7.6]** prepared for the Scheme and will be implemented for 40 years, which is for the lifetime of the Scheme, although only 30 years is required for BNG.



**Figure 1 : 16413\_P13\_Habitat Features\_JS\_RR**






Legend

Habitats

- Arable
- Reedbeds
- Bracken
- Modified Grassland
- Bramble Scrub
- Mixed Scrub
- Canal
- Ponds (see Pond Location Plan - Appendix 2)
- Buildings
- Developed Land; Sealed Surface
- Artificial Unvegetated, Unsealed Surface & Bare Ground
- Wet Woodland
- Other Woodland; Broadleaved
- Other Neutral Grassland

Linear Habitats

- Native Hedgerow
- Native Hedgerow with Trees
- Native Hedgerow with Trees and Ditch
- Non-native & Ornamental Hedgerow
- Ditches
- Line of Trees
- Line of Trees with Ditch



Project	Tween Bridge
Drawing Title	Habitat Features Plan
Scale	As Shown (Approximate)
Drawing No.	16413/P13a
Date	August 2025
Checked	JS/RR



Town House, 3rd Floor, 11-15 Dix's Field, Exeter, EX1 1QA  
 T: 01392 447 588 E: info@tylergrange.co.uk W: www.tylergrange.co.uk

## Appendix 1: Landscape Proposals



## Appendix 2: 16313\_C01\_Condition Assessments





G	Woodland regeneration	All three classes present in woodland <sup>8</sup> ; trees 4 - 7 cm Diameter at Breast Height (DBH), saplings and seedlings or advanced coppice regrowth.	One or two classes only present in woodland <sup>8</sup> .	No classes or coppice regrowth present in woodland <sup>8</sup> .	2														
H	Tree health	Tree mortality 10% or less, no pests or diseases and no crown dieback <sup>9</sup> .	11% to 25% tree mortality and or crown dieback or low-risk pest or disease present <sup>9</sup> .	Greater than 25% tree mortality and or any high-risk pest or disease present <sup>9</sup> .	3														
I	Vegetation and ground flora	Recognisable NVC plant community <sup>10</sup> at ground layer present, strongly characterised by ancient woodland flora specialists.	Recognisable woodland NVC plant community <sup>10</sup> at ground layer present.	No recognisable woodland NVC plant community <sup>10</sup> at ground layer present.	2														
J	Woodland vertical structure	Three or more storeys across all survey plots, or a complex woodland <sup>11</sup> .	Two storeys across all survey plots <sup>11</sup> .	One or less storey across all survey plots <sup>11</sup> .	2														
K	Veteran trees	Two or more veteran trees <sup>12</sup> per hectare.	One veteran tree <sup>12</sup> per hectare.	No veteran trees <sup>12</sup> present in woodland.	2														
L	Amount of deadwood	50% of all survey plots within the woodland parcel have deadwood, such as standing and fallen deadwood, large dead branches and or stems, branch stubs and stumps, or an abundance of small cavities <sup>13</sup> .	Between 25% and 50% of all survey plots within the woodland parcel have deadwood, such as standing and fallen deadwood, large dead branches and or stems, stubs and stumps, or an abundance of small cavities <sup>13</sup> .	Less than 25% of all survey plots within the woodland parcel have deadwood, such as standing and fallen deadwood, large dead branches and or stems, stubs and stumps, or an abundance of small cavities <sup>13</sup> .	2														
M	Woodland disturbance	No nutrient enrichment or damaged ground evident <sup>14</sup> .	Less than 1 hectare in total of nutrient enrichment across woodland area, and or less than 20% of woodland area has damaged ground <sup>14</sup> .	1 hectare or more of nutrient enrichment, and or 20% or more of woodland area has damaged ground <sup>14</sup> .	2														
<b>Total Score (out of a possible 39)</b>					<b>27</b>														
<b>Condition Assessment Result</b>		<b>Condition Assessment Score</b>			<b>Result Achieved</b>														
Total score >32 (33 to 39)		Good (3)																	
Total score 26 to 32		Moderate (2)			Moderate														
Total score <26 (13 to 25)		Poor (1)																	
<b>Suggested enhancement interventions to improve condition score</b>																			



Condition Assessment Result (out of 8 criteria)	Condition Assessment Score	Score Achieved ×/√											
Passes 8 criteria	Good (3)	Good											
Passes 6 or 7 criteria	Moderate (2)		Modera te										
Passes 5 or fewer criteria	Poor (1)			Poor									
<b>Suggested enhancement interventions to improve condition score</b>													
<b>Footnotes</b>													

Condition Sheet: GRASSLAND Habitat Type (low distinctiveness)											
UK Habitat Classification (UKHab) Habitat Type											
Grassland - Modified grassland											
Habitat Description											
See 16413_R11_BNG Report											
<a href="#">ukhab - UK Habitat Classification</a>											
On-site or off-site, site name and location	See 16413_R11_BNG Report				Survey date and Surveyor name	See 16413_R11_BNG Report					
					Survey reference (if relating to a wider survey)	See 16413_R11_BNG Report					
Limitations (if applicable)	See 16413_R11_BNG Report				Habitat parcel reference						Notes (such as justification)
				Grid reference							
				10							
Condition Assessment Criteria				Criterion passed (Yes or No)							
A	There are 6-8 vascular plant species per m <sup>2</sup> present, including at least 2 forbs (these may include those listed in Footnote 1). <b>Note - this criterion is essential for achieving Moderate or Good condition.</b>				Yes						
	Where the vascular plant species present are characteristic of medium, high or very high distinctiveness grassland, or there are 9 or more of these characteristic species per m <sup>2</sup> (excluding those listed in Footnote 1), please review the full UKHab description to assess whether the grassland should instead be classified as a higher distinctiveness grassland. Where a grassland is classed as medium, high, or very high distinctiveness, please use the relevant condition sheet.										
B	Sward height is varied (at least 20% of the sward is less than 7 cm and at least 20% is more than 7 cm) creating microclimates which provide opportunities for vertebrates and invertebrates to live and breed.				No						
	Sward height is varied (at least 20% of the sward is less than 7 cm and at least 20% is more than 7 cm) creating microclimates which provide opportunities for vertebrates and invertebrates to live and breed.										
C	Any scrub present accounts for less than 20% of the total grassland area. (Some scattered scrub such as bramble <i>Rubus fruticosus</i> agg. may be present). Note - patches of scrub with continuous (more than 90%) cover should be classified as the relevant scrub habitat type.				Yes						
	Any scrub present accounts for less than 20% of the total grassland area. (Some scattered scrub such as bramble <i>Rubus fruticosus</i> agg. may be present). Note - patches of scrub with continuous (more than 90%) cover should be classified as the relevant scrub habitat type.										
D	Physical damage is evident in less than 5% of total grassland area. Examples of physical damage include excessive poaching, damage from machinery use or storage, erosion caused by high levels of access, or any other damaging management activities.				No						
	Physical damage is evident in less than 5% of total grassland area. Examples of physical damage include excessive poaching, damage from machinery use or storage, erosion caused by high levels of access, or any other damaging management activities.										
E	Cover of bare ground is between 1% and 10%, including localised areas (for example, a concentration of rabbit warrens) <sup>2</sup> .				Yes						
	Cover of bare ground is between 1% and 10%, including localised areas (for example, a concentration of rabbit warrens) <sup>2</sup> .										
F	Cover of bracken <i>Pteridium aquilinum</i> is less than 20%.				Yes						
	Cover of bracken <i>Pteridium aquilinum</i> is less than 20%.										
G	There is an absence of invasive non-native plant species <sup>3</sup> (as listed on Schedule 9 of WCA <sup>4</sup> ).				Yes						
	There is an absence of invasive non-native plant species <sup>3</sup> (as listed on Schedule 9 of WCA <sup>4</sup> ).										
Essential criterion achieved (Yes or No)				Yes							
Number of criteria passed				5							
Condition Assessment Result (out of 7 criteria)	Condition Assessment Score			Score Achieved x/√							

Passes 6 or 7 criteria including passing essential criterion A	Good (3)													
Passes 4 or 5 criteria including passing essential criterion A	Moderate (2)	Moderate												
Passes 3 or fewer criteria; OR Passes 4 - 6 criteria (excluding criterion A)	Poor (1)													

**Suggested enhancement interventions to improve condition score**

**Footnotes**

**Footnote 1** – Creeping thistle *Cirsium arvense* , spear thistle *Cirsium vulgare* , curled dock *Rumex crispus* , broad-leaved dock *Rumex obtusifolius* , common nettle *Urtica dioica* , creeping buttercup *Ranunculus repens* , greater plantain *Plantago major* , white clover *Trifolium repens* and cow parsley *Anthriscus sylvestris* .

**Footnote 2** – For example, this could include small, scattered areas of bare ground allowing establishment of new species, or localised patches where not exceeding 10% cover.

**Footnote 3** – Assess this for each distinct habitat parcel. If the distribution of invasive non-native species varies across the habitat, split into parcels accordingly, applying a buffer zone around the invasive non-native species with a size relative to its risk of spread into adjacent habitat, using professional judgement.

**Footnote 4** – Wildlife and Countryside Act 1981 (as amended).

Condition Sheet: GRASSLAND Habitat Type (medium, high and very high distinctiveness)												
UK Habitat Classification (UKHab) Habitat Types												
Grassland - Lowland calcareous grassland Grassland - Lowland dry acid grassland Grassland - Lowland meadows Grassland - Other lowland acid grassland Grassland - Other neutral grassland Grassland - Tall herb communities (H6430) [Not to be confused with the Tall forbs secondary code – see UKHab guidance for details.] Grassland - Upland acid grassland Grassland - Upland calcareous grassland Grassland - Upland hay meadows Sparsely vegetated land - Calaminarian grassland												
Habitat Description												
See 16413_R11_BNG Report												
<a href="#">ukhab – UK Habitat Classification</a>												
On-site or off-site, site name and location	See 16413_R11_BNG Report			Survey date and Surveyor name		See 16413_R11_BNG Report						
				Survey reference (if relating to a wider survey)		See 16413_R11_BNG Report						
Limitations (if applicable)	See 16413_R11_BNG Report			Habitat parcel reference								
Condition Assessment Criteria				Grid reference								Notes (such as justification)
				9								
Criterion passed (Yes or No)												
A	The parcel represents a good example of its habitat type, with a consistently high proportion of characteristic indicator species present relevant to the specific habitat type (and relative to Footnote 3 suboptimal species which may be listed in the UKHab description). <sup>1</sup>  <b>Note - this criterion is essential for achieving Moderate or Good condition for non-acid grassland types only.</b>			No								
B	Sward height is varied (at least 20% of the sward is less than 7 cm and at least 20% is more than 7 cm) creating microclimates which provide opportunities for insects, birds and small mammals to live and breed.			Yes								
C	Cover of bare ground is between 1% and 5%, including localised areas, for example, rabbit warrens <sup>2</sup> .			Yes								
D	Cover of bracken <i>Pteridium aquilinum</i> is less than 20% and cover of scrub (including bramble <i>Rubus fruticosus</i> agg.) is less than 5%.			Yes								
E	Combined cover of species indicative of suboptimal condition <sup>3</sup> and physical damage (such as excessive poaching, damage from machinery use or storage, damaging levels of access, or any other damaging management activities) accounts for less than 5% of total area.  If any invasive non-native plant species <sup>4</sup> (as listed on Schedule 9 of WCA <sup>5</sup> ) are present, this criterion is automatically failed.			Yes								
Additional Criterion - must be assessed for all non-acid grassland types												

F	There are 10 or more vascular plant species per m <sup>2</sup> present, including forbs that are characteristic of the habitat type (species referenced in Footnote 3 and 5 cannot contribute towards this count).  <b>Note - this criterion is essential for achieving Good condition for non-acid grassland types only.</b>	No													
<b>Essential criterion for Good condition achieved (for non-acid grassland) (Yes or No)</b>		No													
<b>Number of criteria passed</b>		4													
<b>Condition Assessment Result</b>	<b>Condition Assessment Score</b>	<b>Score Achieved */√</b>													
<b>Acid grassland types (Result out of 5 criteria)</b>															
Passes 5 criteria	Good (3)														
Passes 3 or 4 criteria	Moderate (2)														
Passes 2 or fewer criteria	Poor (1)														
<b>Non-acid grassland types (Result out of 6 criteria)</b>															
Passes 5 or 6 criteria, including essential criterion A and additional criterion F.	Good (3)														
Passes 3 - 5 criteria, including essential criterion A.	Moderate (2)	Moderate													
Passes 2 or fewer criteria; OR Passes 3 or 4 criteria excluding criterion A and F.	Poor (1)														
<b>Suggested enhancement interventions to improve condition score</b>															
<b>Notes</b>															
<p><b>Footnote 1</b> - Professional judgement should be used alongside the UKHab description.</p> <p><b>Footnote 2</b> – For example, this could include small, scattered areas of bare ground allowing for plant colonisation, or localised patches not exceeding 5% cover.</p> <p><b>Footnote 3</b> - Species indicative of suboptimal condition for this habitat type include: creeping thistle <i>Cirsium arvense</i> , spear thistle <i>Cirsium vulgare</i> , curled dock <i>Rumex crispus</i> , broad-leaved dock <i>Rumex obtusifolius</i> , common nettle <i>Urtica dioica</i> , creeping buttercup <i>Ranunculus repens</i> , greater plantain <i>Plantago major</i> , white clover <i>Trifolium repens</i> and cow parsley <i>Anthriscus sylvestris</i> . There may be additional relevant species local to the region and or site.</p> <p><b>Footnote 4</b> – Assess this for each distinct habitat parcel. If the distribution of invasive non-native species varies across the habitat, split into parcels accordingly, applying a buffer zone around the invasive non-native species with a size relative to its risk of spread into adjacent habitat, by applying professional judgement.</p> <p><b>Footnote 5</b> – Wildlife and Countryside Act 1981 (as amended).</p>															





E2.	Tree health	At least 95% of hedgerow trees are in a healthy condition (excluding veteran features valuable for wildlife). There is little or no evidence of an adverse impact on tree health by damage from livestock or wild animals, pests or diseases, or human activity.	This criterion identifies if the trees are subject to damage which compromises the survival and health of the individual specimens.	Yes														
-----	-------------	--	---	-----	--	--	--	--	--	--	--	--	--	--	--	--	--	--

The hedgerow condition assessment generates a weighting (score) ranging from 1 - 3, which is used within the Statutory Biodiversity Metric. The scores for each are set out in the tables below.

Condition categories for hedgerows without trees			Score achieved					
Category	Category Requirements	Metric Score						
Good	No more than 2 failures in total; <b>AND</b> No more than 1 failure in any functional group.	3						
Moderate	No more than 4 failures in total; <b>AND</b> <u>Does not fail both attributes</u> in more than one functional group (for example, fails attributes A1, A2, B1 and C2 = Moderate condition).	2						
Poor	Fails a total of more than 4 attributes; <b>OR</b> <u>Fails both attributes</u> in more than one functional group (for example, fails attributes A1, A2, B1 and B2 = Poor condition).	1						
<b>Score achieved:</b>								
Condition categories for hedgerows with trees			Score achieved					
Category	Category Requirements	Metric score						
Good	No more than 2 failures in total; <b>AND</b> No more than 1 failure in any functional group.	3						
Moderate	No more than 5 failures in total; <b>AND</b> <u>Does not fail both attributes</u> in more than one functional group (for example, fails attributes A1, A2, B1, C2 and E1 = Moderate condition).	2						
Poor	Fails a total of more than 5 attributes; <b>OR</b> <u>Fails both attributes</u> in more than one functional group (for example, fails attributes A1, A2, B1 and B2 = Poor condition).	1						
<b>Score achieved:</b>								

**Suggested enhancement interventions to improve condition score**

--

Condition Sheet: LINE OF TREES Habitat Type												
Habitat Types												
<b>Line of trees</b> <b>Line of trees – associated with bank or ditch</b> <b>Ecologically valuable line of trees</b> <b>Ecologically valuable line of trees – associated with bank or ditch</b>												
<i>Please see the separate Individual trees condition sheet for linear blocks and groups of trees in an <u>urban</u> setting. You should only use this Line of trees condition assessment and record this habitat type in <u>rural</u> locations.</i>												
Habitat Description												
See 16413_R11_BNG Report												
See the Statutory Biodiversity Metric User Guide.												
This assessment is based on the Hedgerow Survey Handbook <sup>1</sup> . For further clarifications please refer to the Handbook.												
Where ancient and veteran trees are present within the line of trees, see Footnote 2 for standing advice.												
On-site or off-site, site name and location	See 16413_R11_BNG Report			Survey date and Surveyor name	See 16413_R11_BNG Report							
				Survey reference (if relating to a wider survey)	See 16413_R11_BNG Report							
Limitations (if applicable)	See 16413_R11_BNG Report			Habitat parcel reference								Notes (such as justification)
				5								
			Grid reference									
Condition Assessment Criteria				Criterion passed (Yes or No)							Notes (such as justification)	
A	At least 70% of trees are native species.			Yes								
B	Tree canopy is predominantly continuous with gaps in canopy cover making up <10% of total area and no individual gap being >5 m wide.			Yes								
C	One or more trees has veteran features and or natural ecological niches for vertebrates and invertebrates, such as presence of standing and attached deadwood, cavities, ivy or loose bark.			No								
D	There is an undisturbed naturally-vegetated strip of at least 6 m on both sides to protect the line of trees from farming and other human activities (excluding grazing). Where veteran trees are present, root protection areas should follow standing advice <sup>2</sup> .			No								
E	At least 95% of the trees are in a healthy condition (deadwood or veteran features valuable for wildlife are excluded from this). There is little or no evidence of an adverse impact on tree health by damage from livestock or wild animals, pests or diseases, or human activity.			Yes								
<b>Number of criteria passed</b>				3								

Condition Assessment Result (out of 5 criteria)	Condition Assessment Score	Score Achieved ×/√											
Passes 5 criteria	Good (3)												
Passes 3 or 4 criteria	Moderate (2)	Moder											
Passes 2 or fewer criteria	Poor (1)												
<b>Suggested enhancement interventions to improve condition score</b>													
<b>Footnotes</b>													



1	The pond surface is no more than 50% shaded by adjacent trees and scrub.	Yes										
Number of criteria passed		6										
Condition Assessment Result	Condition Assessment Score	Score Achieved x/√										
<b>Results for woodland ponds which require assessment of 7 core criteria</b>												
Passes 7 criteria	Good (3)											
Passes 5 or 6 criteria	Moderate (2)	Moderat										
Passes 4 or fewer criteria	Poor (1)											
<b>Results for non-woodland ponds which require assessment of 9 criteria</b>												
Passes 9 criteria	Good (3)											
Passes 6 to 8 criteria	Moderate (2)	Moderat										
Passes 5 or fewer criteria	Poor (1)											
<b>Suggested enhancement interventions to improve condition score</b>												
<b>Footnote 1</b> - A woodland pond will be surrounded on all sides by woodland habitat.												
<b>Footnote 2</b> – This excludes natural dams such as those created by Eurasian beaver <i>Castor fiber</i> .												
<b>Footnote 3</b> - Any species included on the Water Framework Directive (WFD) UKTAG GB High Impact Species List should be absent: WFD UKTAG (2021) <i>Classification of aquatic alien species according to their level of impact</i> [online]. Available from:												

Condition Sheet: SCRUB Habitat Type													
Habitat Types													
Heathland and shrub - Blackthorn scrub Heathland and shrub - Gorse scrub Heathland and shrub - Hawthorn scrub Heathland and shrub - Hazel scrub Heathland and shrub - Mixed scrub Heathland and shrub - Dunes with sea buckthorn (H2160) Heathland and shrub - Willow scrub													
Habitat Description													
For Dunes with sea buckthorn see:		<a href="https://jncc.gov.uk/">Dunes with sea-buckthorn (Dunes with Hippophae rhamnoides) - Special Areas of Conservation (jncc.gov.uk)</a>											
For other scrub types see:		<a href="#">ukhab – UK Habitat Classification</a>											
On-site or off-site, site name and location			Survey date and Surveyor name										
			Survey reference (if relating to a wider survey)										
Limitations (if applicable)			Habitat parcel reference										
			12										
				Grid reference									
Condition Assessment Criteria			Criterion passed (Yes or No)								Notes (such as justification)		
A	The parcel represents a good example of its habitat type - the appearance and composition of the vegetation closely matches its UKHab description (where in its natural range). <sup>1</sup> - At least 80% of scrub is native, - There are at least three native woody species <sup>2</sup> , - No single species comprises more than 75% of the cover (except hazel <i>Corylus avellana</i> , common juniper <i>Juniperus communis</i> , sea buckthorn <i>Hippophae rhamnoides</i> (only in its restricted native range), or box <i>Buxus sempervirens</i> , which can be up to 100% cover).		Yes										
B	Seedlings, saplings, young shrubs and mature (or ancient or veteran <sup>3</sup> ) shrubs are all present.		No										
C	There is an absence of invasive non-native plant species <sup>4</sup> (as listed on Schedule 9 of WCA <sup>5</sup> ) and species indicative of suboptimal condition <sup>6</sup> make up less than 5% of ground cover.		Yes										
D	The scrub has a well-developed edge with scattered scrub and tall grassland and or forbs present between the scrub and adjacent habitat.		Yes										
E	There are clearings, glades or rides present within the scrub, providing sheltered edges.		No										
Number of criteria passed			3										
Condition Assessment Result (out of 5 criteria)		Condition Assessment Score		Score Achieved ×/√									
Passes 5 criteria		Good (3)											
Passes 3 or 4 criteria		Moderate (2)		Moderate									



Condition Sheet: WETLAND Habitat Type													
Habitat Types													
<b>Grassland - Floodplain wetland mosaic and CFGM</b> - See the Statutory Biodiversity Metric User Guide. <b>Wetland - Blanket bog</b> <b>Wetland - Depression on peat substrates (H7150)</b> <b>Wetland - Fens (upland and lowland)</b> <b>Wetland - Lowland raised bog</b> <b>Wetland - Oceanic valley mire [1] (D2.1)</b> <b>Wetland - Purple moor grass and rush pastures</b> <b>Wetland - Reedbeds</b> <b>Wetland - Transition mires and quaking bogs (H7140)</b>													
Habitat Description													
<a href="#">For Oceanic valley mires - see EUNIS</a> See the Statutory Biodiversity Metric User Guide for Floodplain wetland mosaic (FWM) and coastal and floodplain grazing marsh (CFGM). For CFGM also see the below: <a href="#">Coastal and floodplain grazing marsh UK BAP Priority Habitat description</a> <a href="#">Priority Habitat Inventory (England) - data.gov.uk</a>													
All other wetland habitats - see UK Habitat Classification (UKHab):													
<a href="#">UKHab</a>													
On-site or off-site, site name and location	Survey date and Surveyor name												
	Survey reference (if relating to a wider survey)												
Limitations (if applicable)	Habitat parcel reference												
	7												
Grid reference													
Condition Assessment Criteria											Notes (such as justification)		
Criterion passed (Yes or No)													
Core Criteria - must be assessed for <b>all wetland habitat types</b> :													
A	The water table is at, or near the surface throughout the year - this could be open water or saturation of soil at the surface. There is no artificial drainage, unless specifically to maintain water levels as specified above. <b>Note - this criterion is essential for achieving Good condition.</b>	No											
B	The parcel represents a good example of its specific habitat type - the appearance and composition of the vegetation closely matches its UKHab description, with vascular and non-vascular characteristic indicator species consistently present. <sup>1</sup>	Yes											
C	The water supplies (groundwater, surface water and or rainwater) to the wetland are of good water quality, with clear water (low turbidity) indicating no obvious signs of pollution.	No											
D	Cover of scrub and scattered trees are less than 10%.	Yes											
E	Cover of bare ground is less than 5%.	Yes											
F	There is an absence of invasive non-native plant species <sup>2</sup> (as listed on Schedule 9 of WCA <sup>3</sup> ) and species indicative of suboptimal condition <sup>4</sup> make up less than 5% of ground cover.	Yes											
Additional Criterion - must be assessed for <b>Fen and Purple moor grass and rush pasture</b> habitats only:													





# Step into our world

[www.tylergrange.co.uk](http://www.tylergrange.co.uk)



**Tyler  
Grange**

Landscape | Ecology | Arboriculture